

## Computer Science Between Energy Savings and Waste: From Videoconferencing to Blockchain







Public Lecture Series "Sustainability in CS", 2025-11-24 17:00 (UTC+1), Linz/virtual

Univ.-Prof. Dr. René Mayrhofer

Institute of Networks and Security & LIT Secure and Correct Systems Lab, JKU Linz Christian Doppler Laboratory for Private Digital Authentication in der Physical World (CDL Digidow)

JOHANNES KEPLER UNIVERSITY LINZ Altenberger Straße 69 4040 Linz, Austria iku.at








## ICT: Information and Communication Technology

- Communication is key for Internet services
  - requires communication media
  - requires services on the other side
- Communication media
  - possible: dedicated communication infrastructure
  - likely: using publicly available infrastructure, possibly with additional security measures
  - → All communication tends to converge into **The Internet**
- Communication creates attack surface
  - (unintentional) Mistakes (by authorized persons or automated processes)
  - → safety
  - (intentional) Attacks (by unauthorized persons or processes)
  - → security









## Some estimates to help quantify

Estimating Zoom video call **network transfer** energy consumption:

- For 1:1 video calling for 1 hour **per participant**:
  - HQ = 0.000075GB/s = 0.27GB/hr \* 2 (up/down) = 0.54GB.
  - HD 720p = 0.00015GB/s = 0.54GB/hr \* 2 (up/down) = 1.08GB.
  - Output
    <p
- For group video calling for 1 hour per participant:
  - $\circ$  HQ = 0.0001GB/s + 0.000125GB/s = 0.36GB/hr + 0.45GB/hr = 0.81GB.
  - Gallery view and/or HD 720p = 0.0001875GB/s = 0.675/hr \* 2 (up/down) = 1.35GB.
- → 0.0162 0.0486 kWh for 1h 1:1, 0.0729 0.22275 kWh for 1h with 6 people
- → Up to 1000 participants: 12.15 37.125 kWh (if all have sending video enabled please don't!)

Source: https://davidmytton.blog/zoom-video-conferencing-energy-and-emissions/




## Some estimates to help quantify

Estimating Zoom video call **additional** energy consumption:

- Mobile networks instead of fixed lines: 0.1kWh/GB instead of 0.015kWh/GB
- Device energy consumption: massive difference between big screen, laptop, or phone
- "Cloud" data centers for central coordination and network traffic relaying
- Speech-to-text transcription services with Large Language Models (LLMs) → unknown energy impact, but potentially large

Sources: <a href="https://davidmytton.blog/zoom-video-conferencing-energy-and-emissions/">https://davidmytton.blog/zoom-video-conferencing-energy-and-emissions/</a> [updated 2023], <a href="https://davidmytton.blog/zoom-video-conferencing-energy-and-emissions/">https://davidmytton.blog/zoom-video-conferencing-energy-and-emis






## **Energy consumption of digital services?**

#### Video conferencing

- Group video call with 5 participants for 1 hour in HD quality: ca. 0,10kWh
   (comparable to ca. 0,2km with combustion engine car or 1km with battery electric car)
- Can save transfer efforts significantly (estimates around 90%) with audio-only
   (doesn't consider consumption of client devices, maybe best with smartphone on WiFi)
- Textual communication (the old email...) much more efficient
   (but not if intermixed with all kinds of media like large video memes, audio messages, ...)

Note: Data collected from different sources in summer 2021; <a href="https://www.utilitybidder.co.uk/business-electricity/zoom-emissions/">https://www.utilitybidder.co.uk/business-electricity/zoom-emissions/</a>







## End-to-end encryption (E2EE) for instant messages




JYU JOHANNES KEPLER UNIVERSITY LINZ

- Finally, true E2EE messengers exist and are in broad use
  - → Provider cannot decrypt content
  - +Signal, Wire
  - Threema, Matrix, WhatsApp
  - Telegram, etc.
  - → Law enforcement can no longer perform mass scanning
- Note: they all leak (from less to more) meta data primarily phone number network graphs and usage statistics (who do I communicate with, when, how often, how much, which media type, which groups do I belong to, etc.)
- Current discourse (EU Commission, Council and Parliament):
  - #chatcontrol client-side scanning of content inside the E2EE messenger app clients?
  - banning E2EE encryption again, or attacking devices?

See <a href="https://fightchatcontrol.eu/">https://fightchatcontrol.eu/</a> and <a href="https://csa-scientist-open-letter.org/Sep2025">https://fightchatcontrol.eu/</a> and <a href="https://csa-scientist-open-letter.org/Sep2025">https://fightchatcontrol.eu/</a> and <a href="https://csa-scientist-open-letter.org/Sep2025">https://csa-scientist-open-letter.org/Sep2025</a>


## **Digital Identity on phones – potential improvements** for privacy, unclear impact on energy consumption








## **Digital Identity in the cloud – Vision**



## Digital Identity in the cloud - Centralized Approach







### World's Biggest Data Breaches & Hacks



Selected events over 30,000 records stolen UPDATED: Sep 2025



## Digital Identity in the cloud – Decentralized Approach



## **Supply Chain Security**





#### Complex chain of dependencies

- Software libraries and systems of systems
- Network services
  - local e.g., car charging stations via Open Charge Point Protocol (OCPP)
  - remote required Internet services, e.g., time service
- (Availability of secure) hardware

#### Supply chains are interdisciplinary

- technical
- organizational
- economical (license and service contracts)
- legal / regulatory

## **Energy consumption of security measures?**

- Digital communication to save energy consumption (travel, shipping) needs security
- Security needs energy
  - Run-time checks
  - Encryption, Signatures will likely increase with the move to Post-Quantum Cryptography (PQC)
  - Public Key Infrastructures (PKIs)
  - ∘ Fuzzing and other security testing → significant and regular compute efforts
  - Auto-updates of large software packages → storage and networks transfer costs
  - Public logs of software (libraries) for supply chain verification
  - o ...
- How much overhead do we produce with security mitigations?
  - → see talk by Daniel Gruss
  - → write more code in memory safe systems languages likes Rust
     (Benchmarks in relation to C: Rust 1.03x, Java 1.98x, C# 3.14x, Go 3.23x, Python 75.88x)

Source: https://www.sciencedirect.com/science/article/pii/S0167642321000022 with a critique at https://arxiv.org/pdf/2410.05460



## Some estimates to help quantify other services

Estimating Netflix video streaming energy consumption:

- Wildly different estimates for mobile network transfer: 0.9 kWh/GB or 0.1 0.2 kWh/GB?
- Especially for wireless transfers: probably better to calculate per time than per transfer volume
- Estimate for transfer: 0.077kWh per hour of streamed video
- Highly dependent on viewing device:
  - TV: 50 − 200W, typically 100 − 150 W
  - Desktop computer: 50 500+ W
  - Laptop: 5 150+ W
  - ∘ Smartphone: 0,3 5 W
- Lower for audio streaming (music), but still significant data transfer consumption because of radio power requirements → much better to have locally cached music / video files!

Sources: https://www.carbonbrief.org/factcheck-what-is-the-carbon-footprint-of-streaming-video-on-netflix [2020], https://www.rtings.com/tv/learn/led-oled-power-consumption-and-electricity-cost [2021], https://ieeexplore.ieee.org/document/8930492 [2019]



## **Energy consumption of digital services?**

#### Video conferencing

- Group video call with 5 participants for 1 hour in HD quality: ca. 0,10kWh
   (comparable to ca. 0,2km with combustion engine car or 1km with battery electric car)
- Can save transfer efforts significantly (estimates around 90%) with audio-only
- Textual communication (the old email...) much more efficient


#### Video streaming


- ∘ 1 hour Netflix network streaming: ca. 0,077kWh 0,8kWh
- o Depends mostly on device: 50" TV screen ca. 100x, laptop ca. 5x compared to smartphone
- For smartphone viewing (<0,05kWh), ca. 80% of energy used for data transmission (networks)</li>
- Energy consumption of devices: 30% for TVs, 80% for smartphones during production
- All data centers: annually ca. 200 TWh + 250 TWh network → ca. 2% of global consumption












## **Blockchain – Proof of Work Energy Impact**

**Energy Consumption by Country** 










## **Blockchain – Proof of Work Energy Impact**


**Energy Consumption by Country** 





Source: <a href="https://digiconomist.net/bitcoin-energy-consumption/">https://digiconomist.net/bitcoin-energy-consumption/</a>, updated 2023






# Non-Fungible Tokens (NFTs) (Let's best not talk about this particular scam)



For more information, check e.g. <a href="https://youtu.be/XwMjPWOailQ">https://youtu.be/XwMjPWOailQ</a>: "What the hell are NFT's?" by Josh Strife Hayes



#### What about Blockchains without Proof-of-Work?




## Correct! Don't uselessly waste enormous amounts of energy, but based on different assumptions:

- Do you really need irreversibility of all transactions?
  - Do your developers make no mistakes ("Code is Law")?
- Do you really want to publish details of all transactions?
- Should every node mirror the whole history?
- Are there really no Trusted Third Parties (TTPs)?
- How many transactions/second do you need?
- (Do we really want people with more money in the system to have more voting power over the rules?)



## Do you need a Blockchain?







## **Energy consumption of digital services?**

#### Video conferencing

- Group video call with 5 participants for 1 hour in HD quality: ca. 0,10kWh
   (comparable to ca. 0,2km with combustion engine car or 1km with battery electric car)
- Can save transfer efforts significantly (estimates around 90%) with audio-only
- Textual communication (the old email...) much more efficient

#### Video streaming

∘ 1 hour Netflix network streaming: ca. 0,077kWh – 0,8kWh

Bitcoin transaction: >2000kWh

- o Depends mostly on device: 50" TV screen ca. 100x, laptop ca. 5x compared to smartphone
- For smartphone viewing (<0,05kWh), ca. 80% of energy used for data transmission (networks)
- Energy consumption of devices: 30% for TVs, 80% for smartphones during production
- 2021/2022: All data centers: annually ca. 200 TWh + 250 TWh network → ~2% of global electricity

Bitcoin: 100-200TWh

lote: Data collected from different sources in summer 2021 and fall 2024; https://www.utilitybidder.co.uk/business-electricity/zoom-emissions/, https://www.carbonbrief.org/factcheck-what-is-the-carbon-footprint-of-streaming-video-on-netflix, ttps://www.sciencedaily.com/releases/2021/01/210114134033.htm, https://www.iea.org/reports/data-centres-and-data-transmission-networks, https://cbeci.org/cbeci/comparisons, https://www.iea.org/reports/electricity-2024







## **Energy consumption of digital services?**

#### Video conferencing

- Group video call with 5 participants for 1 hour in HD quality: ca. 0,10kWh
   (comparable to ca. 0,2km with combustion engine car or 1km with battery electric car)
- Can save transfer efforts significantly (estimates around 90%) with audio-only
- Textual communication (the old email...) much more efficient

#### Video streaming

1 hour Netflix network streaming: ca. 0,077kWh – 0,8kWh

Bitcoin transaction: >2000kWh

- o Depends mostly on device: 50" TV screen ca. 100x, laptop ca. 5x compared to smartphone
- For smartphone viewing (<0,05kWh), ca. 80% of energy used for data transmission (networks)
- Energy consumption of devices: 30% for TVs, 80% for smartphones during production
- 2021/2022: All data centers: annually ca. 200 TWh + 250 TWh network → ~2% of global electricity
- Estimate 2026: data centers 620–1050 TWh because of GenAl [IEA 2024, p.31]

Bitcoin: 100-200TWh

Note: Data collected from different sources in summer 2021 and fall 2024; <a href="https://www.utilitybidder.co.uk/business-electricity/zoom-emissions/">https://www.carbonbrief.org/factcheck-what-is-the-carbon-footprint-of-streaming-video-on-nettlix, <a href="https://www.sciencedaily.com/releases/2021/01/210114134033.htm">https://www.iea.org/reports/electricity-business-electricity/zoom-emissions/</a>, <a href="https://www.sciencedaily.com/releases/2021/01/210114134033.htm">https://www.iea.org/reports/electricity-2024</a><br/>Updated estimates for GenAl energy consumption: <a href="https://www.sciencedirect.com/science/article/pii/S1364032125008329">https://www.sciencedirect.com/science/article/pii/S1364032125008329</a>, <a href="https://www.sciencedirect.com/science/article/pii/S1364032125008329">https://www.sciencedirect.com



GenAl: 100-x00TWh

## How good are these estimates?

- Short answer: we don't know not even how big the error bars are
- E.g., network transfer consumption:
  - o kWh/GB is obviously wrong when extrapolated!
  - significant base level of electricity required to keep equipment running, independent of transferred volume
  - dividing overall consumption by transferred bytes only reasonable for attributing past usage
- E.g., data center energy usage:
  - often based on indirect data (e.g., company reported costs for running a site)
  - definitely not comprehensive across the world, but only extrapolated from few data points
  - changing rapidly, e.g. because of massively increasing GPU power use for machine learning
- E.g., client device usage
  - o depends on many factors: data transfer frequency, standby/saving modes, charging cycles, ...
  - improved efficiency often counteracted by highly increased usage





## Questions?

(Except: Do I need a Blockchain? Answer: most likely, **no**)







Web: https://ins.jku.at/

Email: rm@ins.jku.at

Signal: Rene.02

Wire: @rm

Twitter: @rene\_mobile

Mastodon: @rene\_mobile@infosec.exchange

JOHANNES KEPLER UNIVERSITY LINZ Altenberger Straße 69 4040 Linz, Austria iku.at